

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2860	((global or uniform) with query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 12:51
L2	1845	L1 and (translation or translat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 12:51
L3	1278	L2 and filter\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 12:51
L4	1118	L3 and database\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 12:51
L5	117	L4 and 707/1-10.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 12:52
L6	162	L4 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 12:53
S1	382410	Begin	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:03
S2	6	"376176".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 14:43

EAST Search History

S3	2	"5634053".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 15:44
S4	6	"75849".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 17:16
S5	2	"5634053".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 15:45
S6	2	S5 and global	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:22
S7	3637	((global or unique) with query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:29
S8	2073	S7 and (translation or translat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:24
S9	0	S8 and filter&4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:25
S10	1358	S8 and filter\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:25

EAST Search History

S11	1231	S10 and database\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:26
S12	616	S11 and object\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:27
S13	221	S11 and 707/1-10.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:30
S14	2252	((global or uniform) with query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:29
S15	1486	S14 and (translation or translat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:31
S16	1025	S15 and filter\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:31
S17	916	S16 and database\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:31
S18	328	S17 and object\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:32

EAST Search History

S19	92	S17 and 707/1-10.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:09
S20	0	S19 and @ad<"02282003"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:33
S21	81	S19 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 10:13
S22	4	"873220".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 15:33
S23	2	"6263342".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 10:18
S24	2	"6233586".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 10:19
S25	2	"6578046".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 10:19
S26	2	"6272488".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 10:19

EAST Search History

S27	2	"5634053".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 11:10
S28	1	S27 and hierarchy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 11:11
S29	1	S27 and filter	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 11:11
S30	2	S22 and schema	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 11:34
S31	2	S22 and hierarchy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 11:34
S32	4	"873220".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 15:50
S33	4486579	S32 and federated datastore object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 15:35
S34	2	S32 and (federated adj datastore adj object)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 15:46

EAST Search History

S35	2	"6578046".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 15:46
S36	2261	((global or uniform) with query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:09
S37	1493	S36 and (translation or translat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:09
S38	1030	S37 and filter\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:09
S39	920	S38 and database\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:09
S40	128	S39 and 707/1-200.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:09
S41	107	S40 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:12
S42	2	"5970490".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:15

EAST Search History

S43	2	"6484160".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:19
S44	2	"6704726".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:27
S45	4	"6604100".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:33
S46	2	"5842212".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:37
S47	553	(hierarchy with(database\$1 with object\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:46
S48	287	S47 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:46
S49	232	S48 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 16:51
S50	202	S49 and (query or search)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 19:10

EAST Search History

S51	17	S50 and 707/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 17:24
S52	6	"128478".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 17:24
S53	6	"128478".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 15:05
S54	2	"6920457".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 15:06
S55	8	(database adj management adj system) same (database same table) same (query with parse\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 15:54
S56	8	S55 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 15:35
S57	0	(database adj management adj system) with table with(query near3 parse\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 15:56
S58	0	(query near3 parse\$1) with (database adj management adj system) with table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 15:56

EAST Search History

S59	3	(query near3 parse\$1) with (database adj management adj system) with(data near\$3 table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:15
S60	2	"5842212".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:12
S61	2	"5864843".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:12
S62	276	(query near\$3 identif\$3) with (database adj management adj system) with (database) with (table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:16
S63	250	S62 and (query near\$3 parse)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:17
S64	250	S63 and (query near\$3 table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:17
S65	192	S64 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:19
S66	178	S65 and (query with (database adj management adj system))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:20

EAST Search History

S67	170	S65 and (query with (database adj management adj system) with table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:21
S68	170	S67 and (query near\$2 parse\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:22
S69	14	S67 and (query near2 parse\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:41
S70	193	federated with database	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:45
S71	52	S70 and (query with identif\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:43
S72	40	S71 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:43
S73	63	federated with search	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 16:47
S74	44	S73 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:09

EAST Search History

S75	8532	(query near2(contain\$1 or include\$1 or parse\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:25
S76	55	S75 and ((query near2(contain\$1 or include\$1 or parse\$1)) with version\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:10
S77	38	S76 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:11
S78	14	((query near2(identif\$2 or contain\$1 or include\$1 or parse\$1)) with ((database adj management adj system) with table))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:34
S79	23	((query near2(identif\$3 or contain\$1 or include\$1 or parse\$1)) with ((database adj management adj system) with table))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:27
S80	11	S79 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:27
S81	14	((query near2(identif\$2 or contain\$1 or include\$1 or parse\$1)) with ((database adj management adj system) with database with table))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:44
S82	5	S81 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:44

EAST Search History

S91	8	S90 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:04
S92	0	((query with (identif\$4 or specif\$4 or include\$1 or parse\$1)) same (hetrogenous with database\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:06
S93	0	(query with (hetrogenous with database\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:07
S94	2	"5634053".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:13
S95	2	"4714995".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:16
S96	2	"5735235".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:16
S97	2	"5375235".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:17
S98	2	"5412806".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:25

EAST Search History

S83	7	((query near2 specif\$3) with ((database adj management adj system) with database with table))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:44
S84	6	S83 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:47
S85	10	(query with(database adj management adj system) with database with (data adj table))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:48
S86	8	S85 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:48
S87	12	((query or request) with(database adj management adj system) with database with (data adj table))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:53
S88	8	S87 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 17:59
S89	1738	(query with (database adj management adj system))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:00
S90	10	((query with (database adj management adj system)) with (data adj table))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:00

EAST Search History

S99	180	(identify with (database adj management adj system))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:26
S10 0	34	((query near3 identif\$3) with (database adj management adj system))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:26
S10 1	25	S100 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:33
S10 2	0	((claffification adj hierarchy) with (database adj management adj system\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:36
S10 3	86	(hierarchy with (database adj management adj system\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:36
S10 4	68	S103 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:37
S10 5	5	S104 and (query with (database adj management adj system\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 18:38
S10 6	6	"276832".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 19:11

EAST Search History

S10 7	3	"276382".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 19:12
S10 8	5	"276747".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 20:19
S10 9	2	"5765159".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 20:59
S11 0	2	(hierarchy near2 (database adj management adj systems))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 21:11
S11 1	77	(heterogeneous with (database adj management adj systems))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 21:11
S11 2	70	S111 and @ad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 09:08
S11 3	7	"682207".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 09:17
S11 4	3	"811557".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 09:17

EAST Search History

S11 5	2505	((global or uniform) with query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 13:11
S11 6	1640	S115 and (translation or translat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 13:11
S11 7	1134	S116 and filter\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 13:11
S11 8	993	S117 and database\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 13:11
S12 0	1	(((((generic or unique) near3 language\$1) near5 query) near5 translat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 14:02
S12 1	2860	((global or uniform) with query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 10:55
S12 2	1845	S121 and (translation or translat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 10:55
S12 3	1278	S122 and filter\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 10:55

EAST Search History

S12 4	1118	S123 and database\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 10:55
S12 5	117	S124 and 707/1-10.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 10:56
S12 6	59	S125 and (submit\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 10:56
S12 7	27	S125 and (submit\$3 near5 quer\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 11:01